

Bibliografía

Eje Neuromotricidad y aprendizaje



Neurociencia aplicada a la Educación



Bibliografía

- Åberg, M. A., Pedersen, N. L., Torén, K., Svartengren, M., Bäckstrand, B., Johnsson, T., Cooper-Kuhn, C. M., Aberg, N. D., Nilsson, M. y Kuhn, H. G. (2009). Cardiovascular fitness is associated with cognition in young adulthood. *Proceedings of the National Academy of Sciences*, 106, 20906-20911. doi: [10.1073/pnas.0905307106](https://doi.org/10.1073/pnas.0905307106).
- Ahamed, Y., Macdonald, H., Reed, K., Naylor, P.J., Liu-Ambrose, T. y McKay, H. (2007). School-based physical activity does not compromise children's academic performance. *Medicine and Science in Sports and Exercise*, 39, 371-376.
- Arday, D. N., Fernandez-Rodriguez, J. M., Jimenez-Pavon, D., Castillo, R., Ruiz, J. R. y Ortega, F. B. (2014). A physical education trial improves adolescents' cognitive performance and academic achievement: the EDUFIT study. *Scandinavian Journal of Medicine & Science in Sports*, 24 (1), e52-61. doi: [10.1111/sms.12093](https://doi.org/10.1111/sms.12093).
- Arday, D. N., Fernández-Rodríguez, J. M., Ruiz, J. R., Chillón, P., España-Romero, V., Castillo, M. J. y Ortega, F. B. (2011). Improving physical fitness in adolescents through a school-based intervention: the EDUFIT study. *Revista Española de Cardiología*, 64 (6):484-91. doi: [10.1016/j.recesp.2011.01.009](https://doi.org/10.1016/j.recesp.2011.01.009).
- Barha, C., Galea, L., Nagamatsu, L., Erickson, K. I. y Ambrose, T. L. (2017). Personalizing exercise recommendations for brain health: considerations and future directions. *British Journal of Sports Medicine*, 51, 636-639. doi: [10.1136/bjsports-2016-096710](https://doi.org/10.1136/bjsports-2016-096710).
- Baym, C. L., Khan, N.A., Monti, J. M., Raine, L. B., Drollette, E. S., Moore, R. D., Scudder, M. R., Kramer, A. F., Hillman, C. H. y Cohen, N. J. (2014). Dietary lipids are differentially associated with hippocampal-dependent relational memory in prepubescent children. *American Journal of Clinical Nutrition*. 99 (5):1026-32. doi: [10.3945/ajcn.113.079624](https://doi.org/10.3945/ajcn.113.079624).
- Berenson, G. S., Srinivasan, S. R., Bao, W., Newman, W. P., Tracy, R.E. y Wattigney, W. A. (1998). Association between multiple cardiovascular risk factors and atherosclerosis in children and young adults. The Bogalusa Heart Study. *The New England Journal of Medicine*, 338, 1650-1656.
- Best, J. R., Miller, P. H. y Naglieri, J. A. (2011). Relations between executive function and academic achievement from ages 5 to 17 in a large, representative national sample. *Learning and Individual Differences*, 21, 327-336.
- Biddle, S. J. y Asare, M. (2011). Physical activity and mental health in children and adolescents: a review of reviews. *British journal of sports medicine*, 45 (11): 886-95. doi: [10.1136/bjsports-2011-090185](https://doi.org/10.1136/bjsports-2011-090185).
- Biggs, S. N. y Dollman, J. (2007). Association between sleep, BMI and waist girth in children and adolescents: a retrospective analysis. *Acta Paediatrica*, 96(12):1839-40.



Bibliografía: Neuromotricidad y aprendizaje

- Booth, J. N., Leary, S. D., Joinson, C., Ness, A. R., Tomporowski, P. D., Boyle, J. M. y Reilly, J. J. (2014). Associations between objectively measured physical activity and academic attainment in adolescents from a UK cohort. *British Journal of Sports Medicine*, 48(3), 265–270. doi: [10.1136/bjsports-2013-092334](https://doi.org/10.1136/bjsports-2013-092334).
- Castelli, D. M., Hillman, C. H., Buck, S. M. y Erwin, H. E. (2007). Physical fitness and academic achievement in third- and fifth-grade students. *Journal of Sport & Exercise Psychology*, 29(2), 239–252.
- Chaddock, L., Erickson, K. I., Prakash, R. S., Kim, J. S., Voss, M. W., Vanpatter, M., Pontifex, M. B., Raine, L. B., Konkel, A., Hillman, C. H., Cohen, N. J. y Kramer, A. F. (2010a). A neuroimaging investigation of the association between aerobic fitness, hippocampal volume, and memory performance in preadolescent children. *Brain Research*, 1358, 172-183. doi: [10.1016/j.brainres.2010.08.049](https://doi.org/10.1016/j.brainres.2010.08.049).
- Chaddock, L., Erickson, K. I., Prakash, R. S., Vanpatter, M., Voss, M. W., Pontifex, M. B., Raine, L. B., Hillman, C. H. y Kramer, A. F. (2010b). Basal ganglia volume is associated with aerobic fitness in preadolescent children. *Developmental Neuroscience*, 32, 249-256. doi: [10.1159/000316648](https://doi.org/10.1159/000316648).
- Chaddock, L., Erickson, K. I., Voss, M. W., Knecht, A. M., Pontifex, M. B., Castelli, D. M., Hillman, C. H. y Kramer, A. F. (2013). The effects of physical activity on functional MRI activation associated with cognitive control in children: a randomized controlled intervention. *Frontiers in Human Neuroscience*, 7, 72. doi: [10.3389/fnhum.2013.00072](https://doi.org/10.3389/fnhum.2013.00072).
- Chaddock-Heyman, L., Erickson, K. I., Holtrop, J. L., Voss, M. W., Pontifex, M. B., Raine, L. B., Hillman, C. H. y Kramer, A. F. (2014). Aerobic fitness is associated with greater white matter integrity in children. *Frontiers in Human Neuroscience*, 8: 584. doi: [10.3389/fnhum.2014.00584](https://doi.org/10.3389/fnhum.2014.00584).
- Chaddock-Heyman, L., Erickson, K. I., Kienzler, C., King, M., Pontifex, M. B., Raine, L. B., Hillman, C. H. y Kramer, A. F. (2015). The role of aerobic fitness in cortical thickness and mathematics achievement in preadolescent children. *PLoS One*, 10(8), e0134115. doi: [10.1371/journal.pone.0134115](https://doi.org/10.1371/journal.pone.0134115).
- Chaddock-Heyman, L., Erickson, K. I., Chappell, M. A., Kienzler, C., Johnson, C. L., Knecht, A., Drollette, E. S., Raine, L. B., Scudder, M. R., Kao, S. C., Hillman, C. H. y Kramer, A. F. (2016). Aerobic fitness is associated with greater hippocampal cerebral blood flow in children. *Developmental Cognitive Neuroscience*, 20, 52-58. doi: [10.1016/j.dcn.2016.07.001](https://doi.org/10.1016/j.dcn.2016.07.001).
- Coe, D. P., Pivarnik, J. M., Womack, C. J., Reeves, M. J. y Malina, R. M., (2006). Effect of physical education and activity levels on academic achievement in children. *Medicine and Science in Sports and Exercise*, 38, 1515-1519.
- Cotman, C. W., Berchtold, N. C. y Christie, L. A. (2007). Exercise builds brain health: key roles of growth factor cascades and inflammation. *Trends in Neurosciences*, 30(9):464-72.



Bibliografía: Neuromotricidad y aprendizaje

- Donnelly, J. E., Hillman, C. H., Castelli, D. M., Etnier, J. L., Lee, S. M., Tomporowski, P., Lambourne, K. y Szabo-Reed, A. N. (2016). Physical activity, fitness, cognitive function, and academic achievement in children: A systematic review: American College of Sports Medicine Position Stand. *Medicine and Science in Sports and Exercise*, 48, 1197–1222. doi: [10.1249/MSS.0000000000000901](https://doi.org/10.1249/MSS.0000000000000901)
- Duzel, E., Van Praag, H. y Sendtner, M. (2016). Can physical exercise in old age improve memory and hippocampal function? *Brain*, 139, 662–673. doi: [10.1093/brain/awv407](https://doi.org/10.1093/brain/awv407).
- Erickson, K. I., Voss, M. W., Prakash, R. S., Basak, C., Szabo, A., Chaddock, L., Kim, J. S., Heo, S., Alves, H., White, S. M., Wojcicki, T. R., Mailey, E., Vieira, V. J., Martin, S. A., Pence, B. P., Woods, J. A., McAuley, E. y Kramer, A. F. (2011). Exercise training increases size of hippocampus and improves memory. *Proceedings of the National Academy of Sciences*, 108 (7), 3017–3022. doi: [10.1073/pnas.1015950108](https://doi.org/10.1073/pnas.1015950108).
- Erickson, K. I., Hillman, C. H. y Kramer, A. F. (2015). Physical activity, brain, and cognition. *Current Opinion in Behavioral Sciences*, 4, 27–32. doi: [10.1016/j.cobeha.2015.01.005](https://doi.org/10.1016/j.cobeha.2015.01.005).
- Ericsson, I. (2008). Motor skills, attention and academic achievements: an intervention study in school years 1-3. *British Educational Research Journal*, 34, 301–313. doi: [10.1080/01411920701609299](https://doi.org/10.1080/01411920701609299).
- Esteban-Cornejo, I., Cadenas-Sanchez, C., Contreras-Rodriguez, O., Verdejo-Roman, J., Mora-Gonzalez, J., Migueles, J. H., Henriksson, P., Davis, C. L., Verdejo-Garcia, A., Catena, A., Ortega, F. B. (2017). A whole brain volumetric approach in overweight/obese children: Examining the association with different physical fitness components and academic performance. The ActiveBrains project. *Neuroimage*, 5;159:346-354. doi: [10.1016/j.neuroimage.2017.08.011](https://doi.org/10.1016/j.neuroimage.2017.08.011).
- Fox, C. K., Barr-Anderson, D., Neumark-Sztainer, D. y Wall, M. (2010). Physical activity and sports team participation: associations with academic outcomes in middle school and high school students. *Journal of School Health*, 80, 31-37. doi: [10.1111/j.1746-1561.2009.00454.x](https://doi.org/10.1111/j.1746-1561.2009.00454.x).
- Gómez-Pinilla F. y Tyagi E. (2013). Diet and cognition: interplay between cell metabolism and neuronal plasticity. *Current Opinion in Clinical Nutrition & Metabolic Care*, 16 (6), 726–733. doi: [10.1097/MCO.0b013e328365aae3](https://doi.org/10.1097/MCO.0b013e328365aae3).
- Gutin, B., Yin, Z., Johnson, M. y Barbeau, P. (2008). Preliminary findings of the effect of a 3-year after-school physical activity intervention on fitness and body fat: the Medical College of Georgia Fitkid Project. *International Journal of Pediatric Obesity*, 3 Suppl 1:3-9. doi: [10.1080/17477160801896457](https://doi.org/10.1080/17477160801896457).
- Haan M. N. y Wallace R. (2004). Can dementia be prevented? Brain aging in a population-based context. *Annual Review of Public Health*, 25, 1–24.
- Haapala, E. A., Väistö, J., Lintu, N., Westgate, K., Ekelund, U., Poikkeus, A. M., Brage, S. y Lakka T. A. (2017). Physical activity and sedentary time in relation to academic achievement in children. *Journal of Science and Medicine in Sport*, 20 (6), 583-589. doi: [10.1016/j.jsams.2016.11.003](https://doi.org/10.1016/j.jsams.2016.11.003).



Bibliografía: Neuromotricidad y aprendizaje

- Hassevoort, K. M., Khan, N. A., Hillman, C. H. y Cohen, N. J. (2016). Childhood Markers of Health Behavior Relate to Hippocampal Health, Memory, and Academic Performance. *Mind, Brain, and Education*, 10 (3), 162-170. doi: [10.1111/mbe.12108](https://doi.org/10.1111/mbe.12108).
- Herting, M. M., Colby, J. B., Sowell, E. R. y Nagel, B. J. (2014). White matter connectivity and aerobic fitness in male adolescents. *Developmental Cognitive Neuroscience*. 7: 65–75. doi: [10.1016/j.dcn.2013.11.003](https://doi.org/10.1016/j.dcn.2013.11.003).
- Herting, M. M., Keenan, M. F. y Nagel, B. J. (2016). Aerobic fitness linked to cortical brain development in adolescent males: preliminary findings suggest a possible role of BDNF genotype. *Frontiers in Human Neuroscience*, 10, 327. doi: [10.3389/fnhum.2016.00327](https://doi.org/10.3389/fnhum.2016.00327).
- Herrador-Colmenero, M., Villa-González, E. y Chillón, P (2017). Children who commute to school unaccompanied have greater autonomy and perceptions of safety. *Acta Paediatrica*. doi: [10.1111/apa.14047](https://doi.org/10.1111/apa.14047).
- Hillman, C. H., Erickson, K. I. y Kramer, A. F. (2008). Be smart, exercise your heart: exercise effects on brain and cognition. *Nature Reviews Neuroscience*, 9, 58-65.
- Hillman, C. H., Pontifex, M. B., Castelli, D. M., Khan, N. A., Raine, L. B., Scudder, M. R., Drollette, E. S., Moore, R. D., Wu, C. T. y Kamijo, K. (2014). Effects of the FITKids randomized controlled trial on executive control and brain function. *Pediatrics*, 134, 1063-1071. doi: [10.1542/peds.2013-3219](https://doi.org/10.1542/peds.2013-3219).
- Hillman, C. H., Erickson, K. I. y Hatfield, B. D. (2017). Run for your life! Childhood physical activity effects on brain and cognition. *Kinesiology Review*, 6, 12-21.
- Huertas-Delgado, F.J., Herrador-Colmenero, M., Villa-González, E., Aranda-Balboa, M.J., Caceres, V., Mandic, S. y Chillon, P. (2017). Parental Perceptions of Barriers to Active Commuting to School in Spanish Children and Adolescents. *European Journal of Public Health*, 1 (6). doi: [10.1093/eurpub/ckw249](https://doi.org/10.1093/eurpub/ckw249).
- Isorna, M., Navia, C. y Felpeto, M. (2013). La transición de la educación primaria a la educación secundaria: sugerencias para padres. *Innovación Educativa*, 23: 161-177.
- Jaakkola, T., Hillman, C. H., Kalaja, S. y Liukkonen, J. (2015). The associations among fundamental movement skills, self-reported physical activity, and academic performance during junior high school in Finland. *Journal of Sports Sciences*, 33, 1719-1729. doi: [10.1080/02640414.2015.1004640](https://doi.org/10.1080/02640414.2015.1004640).
- Jacotte-Simancas, A., Costa-Miserachs, D., Coll-Andreu, M., Torras-Garcia, M., Borlongan, C. V. y Portell-Cortes, I. (2015). Effects of voluntary physical exercise, citicoline, and combined treatment on object recognition memory, neurogenesis, and neuroprotection after traumatic brain injury in rats. *Journal of Neurotrauma*, 32 (10), 739-751. doi: [10.1089/neu.2014.3502](https://doi.org/10.1089/neu.2014.3502).
- Kaiser, M. L., Schoemaker, M. M., Albaret, J. M. y Geuze, R. H. (2015). What is the evidence of impaired motor skills and motor control among children with attention deficit hyperactivity disorder (ADHD)? Systematic review of the literature. *Research in Developmental Disabilities*, 36, 338–357. doi: [10.1016/j.ridd.2014.09.023](https://doi.org/10.1016/j.ridd.2014.09.023).



Bibliografía: Neuromotricidad y aprendizaje

- Kall, L. B., Nilsson, M. y Linden, T. (2014). The impact of a physical activity intervention program on academic achievement in a Swedish elementary school setting. *The Journal of School Health*, 84 (8), 473-480. doi: [10.1111/josh.12179](https://doi.org/10.1111/josh.12179).
- Kamijo, K., Pontifex, M. B., O'Leary, K. C, Scudder, M. R., Wu, C. T, Castelli, D. M. y Hillman, C. H. (2011). The effects of an afterschool physical activity program on working memory in preadolescent children. *Developmental Science* 14, 1046-1058. doi: [10.1111/j.1467-7687.2011.01054.x](https://doi.org/10.1111/j.1467-7687.2011.01054.x).
- Kao, S. C., Westfall, D. R., Sonesson, J., Gurd, B. y Hillman, C. H. (2017). Comparison of the acute effects of high-intensity interval training and continuous aerobic walking on inhibitory control. *Psychophysiology*, 54 (9): 1335-1345. doi: [10.1111/psyp.12889](https://doi.org/10.1111/psyp.12889).
- Kelly Y., Kelly J. y Sacker A. (2013). Time for bed: associations with cognitive performance in 7-year-old children: a longitudinal population-based study. *Journal of Epidemiology & Community Health*, 1;67 (11):926-31. doi: [10.1136/jech-2012-202024](https://doi.org/10.1136/jech-2012-202024).
- Kontra, C., Lyons, D. J., Fischer, S. M. y Beilock, S. L. (2015). Physical experience enhances science learning. *Psychological Science*, 26(6), 737-749. doi: [10.1177/0956797615569355](https://doi.org/10.1177/0956797615569355).
- Krafft, C. E., Schaeffer, D. J., Schwarz, N. F., Chi. L., Weinberger, A. L., Pierce. J. E., Rodrigue, A. L., Allison, J. D., Yanasak, N. E., Liu, T., Catherine L. Davis, C. L. y McDowell, J. E. (2014). Improved Fronto-Parietal White Matter Integrity in Overweight Children is Associated with Attendance in an After-School Exercise Program. *Developmental Neuroscience*; 36(1): 1–9. doi: [10.1159/000356219](https://doi.org/10.1159/000356219).
- Kubesch, S., Walk, L., Spitzer, M., Kammer, T., Lainburg, A., Heim, R. y Hille, K. (2009). A 30-minute physical education program improves students' executive attention. *Mind, Brain, and Education*, 3, 235-242.
- Lang, J. J., Belanger, K., Poitras, V., Janssen, I., Tomkinson, G. R. y Tremblay, M. S. (2017). Systematic review of the relationship between 20m shuttle run performance and health indicators among children and youth. *Journal of Science and Medicine in Sport*. doi: [10.1016/j.jsams.2017.08.002](https://doi.org/10.1016/j.jsams.2017.08.002).
- Lakes, K. D. y Hoyt, W. T. (2004). Promoting self-regulation through school-based martial arts training. *Applied Developmental Psychology*, 25, 283-302.
- Latorre, E., Layunta, E., Grasa, L., Castro, M., Pardo, J., Gomollón F., Alcalde A.I. y Mesonero, J. E. (2016). Intestinal Serotonin Transporter Inhibition by Toll-Like Receptor 2 Activation. A Feedback Modulation. *Public Library of Science (PLoS One)*, 29;11 (12), e0169303. doi: [10.1371/journal.pone.0169303](https://doi.org/10.1371/journal.pone.0169303).
- Littlecott, H. J., Moore, G. F., Moore, L., Lyons, R. A. y Murphy, S. (2015). Association between breakfast consumption and educational outcomes in 9–11-year-old children. *Public Health Nutrition*, 19(9):1575-82. doi: [10.1017/S1368980015002669](https://doi.org/10.1017/S1368980015002669).
- Lucas, S. J., Cotter, J. D., Brassard, P. y Bailey, D. M. (2015). High-intensity interval exercise and cerebrovascular health: curiosity, cause, and consequence. *Journal of Cerebral Blood Flow & Metabolism*, 35 (6), 902–911. doi: [10.1038/jcbfm.2015.49](https://doi.org/10.1038/jcbfm.2015.49).



Bibliografía: Neuromotricidad y aprendizaje

- Ma J. K., Le Mare L. y Gurd B. J. (2015). Four minutes of in-class high-intensity interval activity improves selective attention in 9- to 11-year olds. *Applied Physiology Nutrition and Metabolism*, 40, 238-244. doi: [10.1139/apnm-2014-0309](https://doi.org/10.1139/apnm-2014-0309).
- Maass, A., Duzel, S., Goerke, M., Becke, A., Sobieray, U., Neumann, K., Lövdén M., Lindenberger, U., Bäckman, L., Braun-Dullaeus, R., Ahrens, D., Heinze, H. J., Müller, N.G. y Düzel, E. (2015). Vascular hippocampal plasticity after aerobic exercise in older adults. *Molecular Psychiatry*, 20, 585–593. doi: [10.1038/mp.2014.114](https://doi.org/10.1038/mp.2014.114).
- Martinez-Gomez, D., Veiga, O. L., Gomez-Martinez, S., Zapatera, B., Calle, M. E., y Marcos, A. (2011). Behavioural correlates of active commuting to school in Spanish adolescents: the AFINOS (Physical Activity as a Preventive Measure Against Overweight, Obesity, Infections, Allergies, and Cardiovascular Disease Risk Factors in Adolescents) study. *Public Health Nutrition*, (14)10, 1779-1786. doi: [10.1017/s1368980010003253](https://doi.org/10.1017/s1368980010003253).
- Mehta, R. K., Shortz, A. E. y Benden, M. E. (2015). Standing Up for Learning: A Pilot Investigation on the Neurocognitive Benefits of Stand-Biased School Desks. *International Journal of Environmental Research and Public Health*, 22;13(1):ijerph13010059. doi: [10.3390/ijerph13010059](https://doi.org/10.3390/ijerph13010059).
- Montgomery, P., Burton, J. R., Sewell, R. P., Spreckelsen, T. F. y Richardson, A. J. (2013). Low blood long chain omega-3 fatty acids in UK children are associated with poor cognitive performance and behavior: a cross-sectional analysis from the DOLAB study. *Public Library of Science (PLoS One)*, 8 (6), e66697. doi: [10.1371/journal.pone.0066697](https://doi.org/10.1371/journal.pone.0066697).
- Moschen, A. R., Wieser, V. y Herbert-Tilg, H. (2012). Dietary Factors: Major Regulators of the Gut's Microbiota. *Gut and Liver*, 6 (4): 411–416. doi: [10.5009/gnl.2012.6.4.411](https://doi.org/10.5009/gnl.2012.6.4.411).
- Ortega, F. B., Ruiz, J. R., Castillo, M. J y Sjöström, M. (2008). Physical fitness in childhood and adolescence: a powerful marker of health. *International Journal of Obesity*, 32, 1-11.
- Ortega, F. B., Lavie, C. J. y Blair, S. N. (2016). Obesity and Cardiovascular Disease. *Circulation Research*. 27; 118 (11): 1752-70. doi: [10.1161/CIRCRESAHA.115.306883](https://doi.org/10.1161/CIRCRESAHA.115.306883).
- Ortega, F. B., Silventoinen, K., Tynelius, P. y Rasmussen, F. (2012). Muscular strength in male adolescents and premature death: cohort study of one million participants. *British Medical Journal*, 345: e7279. doi: [10.1136/bmj.e7279](https://doi.org/10.1136/bmj.e7279).
- Pereira, A. C., Huddleston, D. E., Brickman, A. M., Sosunov, A. A., Hen, R., McKhann, G. M., Sloan, R., Gage, F. H., Brown, T. R. y Small, S. A. (2007). An in vivo correlate of exercise-induced neurogenesis in the adult dentate gyrus. *Proceedings of the National Academy of Sciences*, 104, 5638-5643.
- Pollatschek, J. L. y O'Hagan, F. J. (1989). An investigation of the psycho-physical influences of a quality daily physical education programme. *Health Education Research*, 4, 341–350.
- Raine, L. B., Lee, H. K., Saliba, B. J., Chaddock-Heyman, L., Hillman, C. H. y Kramer, A. F. (2013). The influence of childhood aerobic fitness on learning and memory. *Public Library of Science (PLoS One)*, 8 (9), e72666. doi: [10.1371/journal.pone.0072666](https://doi.org/10.1371/journal.pone.0072666).



Bibliografía: Neuromotricidad y aprendizaje

- Rasberry, C. N., Lee, S. M., Robin, L., Laris, B. A., Russell, L. A., Coyle, K. K. y Nihiser, A. J. (2011). The association between school-based physical activity, including physical education, and academic performance: a systematic review of the literature. *Preventive Medicine*, 52, S10-S20. doi: [10.1016/j.ypmed.2011.01.027](https://doi.org/10.1016/j.ypmed.2011.01.027).
- Ridgers, N. D., Carter, L. M., Stratton, G. y McKenzie, T. L. (2011). Examining children's physical activity and play behaviors during school playtime over time. *Health Education Research*, 26 (4):586-95. doi: [10.1093/her/cyr014](https://doi.org/10.1093/her/cyr014).
- Rodriguez-Ayllon, M., Cadenas-Sanchez, C., Esteban-Cornejo, I., Migueles, J. H., Mora-Gonzalez, J., Henriksson, P., Martín-Matillas, M., Mena-Molina, A., Molina-García, P., Estévez-López, F., Enriquez, G. M., Perales, J. C., Ruiz, J. R., Catena, A., Ortega, F. B. (2017). Physical fitness and psychological health in overweight/obese children: A cross-sectional study from the ActiveBrains project. *Journal of Science and Medicine in Sport*, S1440-2440(17)31065-4. doi: [10.1016/j.jsams.2017.09.019](https://doi.org/10.1016/j.jsams.2017.09.019).
- Rogers, P. J. (2016). Breakfast: how important is it really? A response (Letter to editor). *Public Health Nutrition*, 19(9):1720-1. doi: [10.1017/S1368980016000380](https://doi.org/10.1017/S1368980016000380).
- Ruiz, J. R., Castro-Pinero, J., Artero, E. G., Ortega, F. B., Sjostrom, M., Suni, J. y Castillo, M. J. (2009). Predictive validity of health-related fitness in youth: a systematic review. *British Journal of Sports Medicine*, 43, 909-923. doi: [10.1136/bjism.2008.056499](https://doi.org/10.1136/bjism.2008.056499).
- Ruiz, J. R., Ortega, F. B., Castillo, R., Martín-Matillas, M., Kwak, L., Vicente-Rodriguez, G., Noriega, J., Tercedor, P., Sjöström, M., Moreno, L.A. y AVENA Study Group (2010). Physical activity, fitness, weight status, and cognitive performance in adolescents. *Journal of Pediatrics*, 157, 917-922 e911-915. doi: [10.1016/j.jpeds.2010.06.026](https://doi.org/10.1016/j.jpeds.2010.06.026).
- Sallis, J. F., McKenzie, T. L., Kolody, B., Lewis, M., Marshall, S. y Rosengard, P. (1999). Effects of health-related physical education on academic achievement: project SPARK. *Research quarterly for exercise and sport*, 70, 127-134.
- Sarver, D. E., Rapport, M. D., Kofler, M. J., Raiker, J. S. y Friedman, L. M. (2015) Hyperactivity in attention-deficit/hyperactivity disorder (ADHD): Impairing deficit or compensatory behavior? *Journal of Abnormal Child Psychology*, 43 (7), 1219-1232. doi: [10.1007/s10802-015-0011-1](https://doi.org/10.1007/s10802-015-0011-1).
- Schaeffer, D. J., Krafft, C. E., Schwarz, N. F., Chi, L., Rodrigue, A. L., Pierce, J. E., Allison, J. D., Yanasak, N. E., Liu, T., Davis, C. L. y McDowell J. E. (2014). An 8-month exercise intervention alters fronto-temporal white matter integrity in overweight children. *Psychophysiology*. 51(8): 728-733. doi: [10.1111/psyp.12227](https://doi.org/10.1111/psyp.12227).
- Schmidt, M., Jäger, K., Egger, F., Roebbers C. M. y Conzelmann, A. (2015). Cognitively engaging chronic physical activity, but not aerobic exercise, affects executive functions in primary school children: a group-randomized controlled trial. *Journal of Sport & Exercise Psychology*, 37, 575-591. doi: [10.1123/jsep.2015-0069](https://doi.org/10.1123/jsep.2015-0069).
- Scudder, M. R., Khan, N. A., Lambourne, K., Drollette, E. S., Herrmann, S. D., Betts, J. L., Washburn, R. A., Donnelly, J. E. y Hillman, C. H. (2015). Cognitive control in preadolescent children with risk factors for metabolic syndrome. *Health Psychology*, 34, 243-252. doi: [10.1037/hea0000114](https://doi.org/10.1037/hea0000114).



Bibliografía: Neuromotricidad y aprendizaje

- Shefer, G., Marcus, Y. y Stern, N. (2013). Is obesity a brain disease?. *Neuroscience and Biobehavioral Reviews*, 37(10), 2489-2503. doi: [10.1016/j.neubiorev.2013.07.015](https://doi.org/10.1016/j.neubiorev.2013.07.015).
- Sibley, B. y Etnier, J. (2003). The relationship between physical activity and cognition in children: a meta-analysis. *Pediatric Exercise Science*, 15, 243-256.
- Stillman, C. M., Cohen, J., Lehman, M. E. y Erickson, K. I. (2016). Physical activity and cognitive performance: A review of mediating mechanisms at multiple levels. *Frontiers in Human Neuroscience*, 10, 626.
- Stylianou, M., Kulinna, P. H., Van der Mars, H., Mahar, M. T., Adams, M. A. y Amazeen, E. (2016). Before-school running/walking club: effects on student on-task behavior. *Preventive Medicine Reports*, 3, 196-202. doi: [10.1016/j.pmedr.2016.01.010](https://doi.org/10.1016/j.pmedr.2016.01.010).
- Strong, J. P., Malcom, G. T., McMahan, C. A., Tracy, R. E., Newman, W. P., 3rd, Herderick, E. E. y Cornhill, J. F. (1999). Prevalence and extent of atherosclerosis in adolescents and young adults: implications for prevention from the Pathobiological Determinants of Atherosclerosis in Youth Study. *Journal of the American Medical Association – JAMA*, 281, 727-735.
- Tomprowski, P. D., Davis, C. L., Miller, P. H. y Naglieri, J. A. (2008). Exercise and Children's Intelligence, Cognition, and Academic Achievement. *Educational Psychology Review*, 20, 111-131.
- Tononi, G. y Cirelli, C. (2014). Sleep and the price of plasticity: from synaptic and cellular homeostasis to memory consolidation and integration. *Neuron*, 81, 12-34. doi: [10.1016/j.neuron.2013.12.025](https://doi.org/10.1016/j.neuron.2013.12.025).
- Travlos, A. K. (2010). High intensity physical education classes and cognitive performance in eighth grade students: an applied study. *International Journal of Sport and Exercise Psychology*, 8 (3), 302-311.
- Trudeau, F. y Shephard, R. J. (2008). Physical education, school physical activity, school sports and academic performance. *International Journal of Behavioral Nutrition and Physical Activity*, 5, 10. doi: [10.1186/1479-5868-5-10](https://doi.org/10.1186/1479-5868-5-10).
- Van Praag, H., Fleshner, M., Schwartz, M. W. y Mattson M. P. (2014). Exercise, energy intake, glucose homeostasis, and the brain. *The Journal of Neuroscience*, 34 (46), 15139-15149. doi: [10.1523/JNEUROSCI.2814-14.2014](https://doi.org/10.1523/JNEUROSCI.2814-14.2014).
- Vaynman, S., Ying, Z. y Gomez-Pinilla, F. (2004). Hippocampal BDNF mediates the efficacy of exercise on synaptic plasticity and cognition. *European Journal of Neuroscience*, 20, 2580-2590.
- Villa-González, E., Ruiz, J. R. y Chillón, P. (2016). Recomendaciones para implementar intervenciones de calidad de promoción del desplazamiento activo al colegio. *Retos*, 30, 159-161.
- Westfall, D. R., Kao, S. C., Scudder, M. R., Pontifex, M. B. y Hillman, C. H. (2017). The association between aerobic fitness and congruency sequence effects in preadolescent children. *Brain and Cognition*, 113, 85-92. doi: [10.1016/j.bandc.2016.12.005](https://doi.org/10.1016/j.bandc.2016.12.005).



Bibliografía: Neuromotricidad y aprendizaje

Winter, B., Breitenstein, C., Mooren, F. C., Voelker, K., Fobker, M., Lechtermann, A., Krueger, K., Fromme, A., Korsukewitz, C., Floel, A. y Knecht, S. (2007). High impact running improves learning. *Neurobiology of Learning and Memory*, 87, 597-609. doi: [10.1016/j.nlm.2006.11.003](https://doi.org/10.1016/j.nlm.2006.11.003).